

32



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/043,573	01/09/2002	Bertrand Lemieux	018547-030130US	9369
33494	7590	08/06/2004	<div>EXAMINER</div> <div>SPIEGLER, ALEXANDER H</div>	
TOWNSEND AND TOWNSEND AND CREW LLP TWO EMBARCADERO CENTER 8TH FLOOR SAN FRANCISCO, CA 94111-3834			<div>ART UNIT</div> <div>1637</div>	<div>PAPER NUMBER</div>

DATE MAILED: 08/06/2004

Please find below and/or attached an Office communication concerning this application or proceeding.



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, DC 20231  
www.uspto.gov

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

Alexander H. Spiegler

ART UNIT	PAPER
----------	-------

1656

20040803

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

## Commissioner of Patents

The reply filed on December 29, 2003 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): The sequences in the sequence listing and those recited in Table 1 are different. For example, the elected sequence (SEQ ID NO: 57) in the sequence listing is: TCCTTACGCCTTCAAGCGCASC GGCTGGCTCATGGGTGTCC, whereas SEQ ID NO: 57 in Table 1 is: GGAATTCAATACTCGCCAACKTCTTCATTGCTGTCGTCGGC. Accordingly, it is not clear which sequence Applicants have elected to be examined. Applicants should clarify which sequence should be examined and correct the discrepancies between the sequence listing and Table 1. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alexander H. Spiegler whose telephone number is (571) 272-0788. The examiner can normally be reached on Monday through Friday, 7:00 AM to 3:30 PM. If attempts to reach the examiner are unsuccessful, the examiner's supervisor, Gary Benzion can be reached at (571) 272-0782. Papers related to this application may be faxed to Group 1637 via the PTO Fax Center using the fax number (703) 872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547. Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

Alexander H. Spiegler  
August 3, 2004  
CARLA J. MYERS  
PRIMARY EXAMINER